



1-но ручейковые шкивы со втулкой для ремней с профилем SPA



| Артикул | OD | PD | Тип Шкива | Номер Втулки | Максимальное отверстие | F | G | K | L | H | Вес Шкива без втулки |
|-----------|-----|-----|-----------|--------------|------------------------|----|-------|----|----|-----|----------------------|
| 1 SPA 63 | 69 | 63 | 9 | 1108 | 28 | 40 | 34 | 18 | 22 | 69 | 0.8 |
| 1 SPA 67 | 73 | 67 | 1 | 1108 | 28 | 20 | - | - | 22 | 60 | 0.5 |
| 1 SPA 71 | 77 | 71 | 1 | 1108 | 28 | 20 | - | - | 22 | 60 | 0.5 |
| 1 SPA 75 | 81 | 75 | 1 | 1108 | 28 | 20 | - | - | 22 | 60 | 0.4 |
| 1 SPA 80 | 86 | 80 | 1 | 1210 | 32 | 20 | - | - | 25 | 84 | 0.5 |
| 1 SPA 85 | 91 | 85 | 1 | 1210 | 32 | 20 | - | - | 25 | 88 | 0.6 |
| 1 SPA 90 | 96 | 90 | 1 | 1210 | 32 | 20 | - | - | 25 | 90 | 0.7 |
| 1 SPA 95 | 101 | 95 | 1 | 1210 | 32 | 20 | - | - | 25 | 90 | 0.9 |
| 1 SPA 100 | 106 | 100 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 0.8 |
| 1 SPA 106 | 112 | 106 | 1 | 1610 | 42 | 20 | - | - | 25 | 85 | 0.9 |
| 1 SPA 112 | 118 | 112 | 1 | 1610 | 42 | 20 | - | - | 25 | 90 | 1.1 |
| 1 SPA 118 | 124 | 118 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 1.2 |
| 1 SPA 125 | 131 | 125 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 1.4 |
| 1 SPA 132 | 138 | 132 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 1.6 |
| 1 SPA 140 | 146 | 140 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 1.8 |
| 1 SPA 150 | 156 | 150 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 2.1 |
| 1 SPA 160 | 166 | 160 | 1 | 1610 | 42 | 20 | - | - | 25 | 92 | 2.4 |
| 1 SPA 170 | 176 | 170 | 8 | 1610 | 42 | 20 | 135.6 | - | 25 | 92 | 1.1 |
| 1 SPA 180 | 186 | 180 | 8 | 1610 | 42 | 20 | 145.6 | - | 25 | 92 | 2.3 |
| 1 SPA 190 | 196 | 190 | 8 | 2012 | 50 | 20 | 155.6 | - | 32 | 106 | 2.7 |
| 1 SPA 200 | 206 | 200 | 8 | 2012 | 50 | 20 | 165.6 | - | 32 | 106 | 2.3 |
| 1 SPA 212 | 218 | 212 | 8 | 2012 | 50 | 20 | 176 | - | 32 | 106 | 3.5 |
| 1 SPA 224 | 230 | 224 | 8 | 2012 | 50 | 20 | 190 | - | 32 | 106 | 4.0 |
| 1 SPA 236 | 242 | 236 | 8 | 2012 | 50 | 20 | 202 | - | 32 | 106 | 4.4 |
| 1 SPA 250 | 256 | 250 | 8 | 2012 | 50 | 20 | 216 | - | 32 | 106 | 4.8 |
| 1 SPA 265 | 271 | 265 | 8 | 2012 | 50 | 20 | 234 | - | 32 | 112 | 5.6 |
| 1 SPA 280 | 286 | 280 | 8 | 2012 | 50 | 20 | 245 | - | 32 | 112 | 6.3 |
| 1 SPA 300 | 306 | 300 | 8 | 2012 | 50 | 20 | 269 | - | 32 | 112 | 6.8 |
| 1 SPA 315 | 321 | 315 | 8 | 2012 | 50 | 20 | 284 | - | 32 | 112 | 7.2 |
| 1 SPA 335 | 341 | 335 | 8 | 2012 | 50 | 20 | 304 | - | 32 | 112 | 7.4 |
| 1 SPA 355 | 361 | 355 | 4 | 2012 | 50 | 20 | 320 | - | 32 | 112 | 7.6 |
| 1 SPA 375 | 381 | 375 | 4 | 2012 | 50 | 20 | 340 | - | 32 | 112 | 7.8 |
| 1 SPA 400 | 406 | 400 | 4 | 2012 | 50 | 20 | 365 | - | 32 | 112 | 7.9 |
| 1 SPA 425 | 431 | 425 | 4 | 2012 | 50 | 20 | 390 | - | 32 | 112 | 8.2 |
| 1 SPA 450 | 456 | 450 | 4 | 2517 | 60 | 20 | 415 | - | 45 | 124 | 8.4 |
| 1 SPA 475 | 481 | 475 | 4 | 2517 | 60 | 20 | 440 | - | 45 | 124 | 8.9 |
| 1 SPA 500 | 506 | 500 | 4 | 2517 | 60 | 20 | 465 | - | 45 | 124 | 9.4 |
| 1 SPA 530 | 536 | 530 | 4 | 2517 | 60 | 20 | 495 | - | 45 | 124 | 11.0 |
| 1 SPA 560 | 566 | 560 | 4 | 2517 | 60 | 20 | 525 | - | 45 | 124 | 12.6 |
| 1 SPA 630 | 636 | 630 | 4 | 2517 | 60 | 20 | 595 | - | 45 | 124 | 13.1 |

Все размеры даны в миллиметрах; Вес указан в килограммах; Указанный вес не включает веса втулки


2-х ручейковые шкивы со втулкой для ремней с профилем SPA



| Артикул | OD | PD | Тип Шкива | Номер Втулки | Максимальное отверстие | F | G | K | L | H | Вес Шкива без втулки |
|-----------|-----|-----|-----------|--------------|------------------------|----|-----|----|----|-----|----------------------|
| 2 SPA 63 | 69 | 63 | 9 | 1108 | 28 | 55 | 34 | 33 | 22 | - | 0.6 |
| 2 SPA 67 | 73 | 67 | 6 | 1108 | 28 | 35 | 37 | 13 | 22 | - | 0.4 |
| 2 SPA 71 | 77 | 71 | 6 | 1108 | 28 | 35 | 40 | 13 | 22 | - | 0.5 |
| 2 SPA 75 | 81 | 75 | 6 | 1108 | 28 | 35 | 45 | 13 | 22 | - | 0.7 |
| 2 SPA 80 | 86 | 80 | 6 | 1210 | 32 | 35 | 50 | 10 | 25 | - | 0.6 |
| 2 SPA 85 | 91 | 85 | 6 | 1210 | 32 | 35 | 57 | 10 | 25 | - | 0.7 |
| 2 SPA 90 | 96 | 90 | 6 | 1610 | 42 | 35 | 60 | 10 | 25 | - | 0.7 |
| 2 SPA 95 | 101 | 95 | 6 | 1610 | 42 | 35 | 61 | 10 | 25 | - | 0.9 |
| 2 SPA 100 | 106 | 100 | 6 | 1610 | 42 | 35 | 66 | 10 | 25 | - | 1.1 |
| 2 SPA 106 | 112 | 106 | 6 | 1610 | 42 | 35 | 72 | 10 | 25 | - | 1.2 |
| 2 SPA 112 | 118 | 112 | 6 | 1610 | 42 | 35 | 78 | 10 | 25 | - | 1.4 |
| 2 SPA 118 | 124 | 118 | 6 | 1610 | 42 | 35 | 84 | 10 | 25 | - | 1.6 |
| 2 SPA 125 | 131 | 125 | 2 | 1610 | 42 | 35 | 90 | - | 25 | - | 1.9 |
| 2 SPA 132 | 138 | 132 | 2 | 2012 | 50 | 35 | 96 | - | 32 | - | 2.1 |
| 2 SPA 140 | 146 | 140 | 2 | 2012 | 50 | 35 | 80 | - | 32 | - | 2.6 |
| 2 SPA 150 | 156 | 150 | 2 | 2012 | 50 | 35 | 80 | - | 32 | - | 3.2 |
| 2 SPA 160 | 166 | 160 | 2 | 2012 | 50 | 35 | 80 | - | 32 | - | 3.8 |
| 2 SPA 170 | 176 | 170 | 2 | 2012 | 50 | 35 | 80 | - | 32 | - | 4.5 |
| 2 SPA 180 | 186 | 180 | 2 | 2012 | 50 | 35 | 80 | - | 32 | - | 5.2 |
| 2 SPA 190 | 196 | 190 | 8 | 2517 | 60 | 35 | 156 | - | 45 | 125 | 4.4 |
| 2 SPA 200 | 206 | 200 | 8 | 2517 | 60 | 35 | 166 | - | 45 | 125 | 4.9 |
| 2 SPA 212 | 218 | 212 | 8 | 2517 | 60 | 35 | 178 | - | 45 | 125 | 5.8 |
| 2 SPA 224 | 230 | 224 | 8 | 2517 | 60 | 35 | 190 | - | 45 | 125 | 6.6 |
| 2 SPA 236 | 242 | 236 | 8 | 2517 | 60 | 35 | 202 | - | 45 | 125 | 6.8 |
| 2 SPA 250 | 256 | 250 | 8 | 2517 | 60 | 35 | 216 | - | 45 | 125 | 6.8 |
| 2 SPA 265 | 271 | 265 | 8 | 2517 | 60 | 35 | 230 | - | 45 | 125 | 7.3 |
| 2 SPA 280 | 286 | 280 | 8 | 2517 | 60 | 35 | 246 | - | 45 | 125 | 8.3 |
| 2 SPA 300 | 306 | 300 | 8 | 2517 | 60 | 35 | 266 | - | 45 | 125 | 9.2 |
| 2 SPA 315 | 321 | 315 | 8 | 2517 | 60 | 35 | 281 | - | 45 | 125 | 10.2 |
| 2 SPA 335 | 341 | 335 | 8 | 2517 | 60 | 35 | 301 | - | 45 | 125 | 10.3 |
| 2 SPA 355 | 361 | 355 | 4 | 2517 | 60 | 35 | 320 | - | 45 | 124 | 10.5 |
| 2 SPA 375 | 381 | 375 | 4 | 2517 | 60 | 35 | 340 | - | 45 | 124 | 10.9 |
| 2 SPA 400 | 406 | 400 | 4 | 2517 | 60 | 35 | 365 | - | 45 | 124 | 11.3 |
| 2 SPA 425 | 431 | 425 | 4 | 2517 | 60 | 35 | 390 | - | 45 | 124 | 13.2 |
| 2 SPA 450 | 456 | 450 | 4 | 2517 | 60 | 35 | 415 | - | 45 | 124 | 15.0 |
| 2 SPA 475 | 481 | 475 | 4 | 2517 | 60 | 35 | 440 | - | 45 | 124 | 16.9 |
| 2 SPA 500 | 506 | 500 | 4 | 2517 | 60 | 35 | 465 | - | 45 | 124 | 18.7 |
| 2 SPA 530 | 536 | 530 | 4 | 3020 | 75 | 35 | 495 | - | 51 | 159 | 19.5 |
| 2 SPA 560 | 566 | 560 | 4 | 3020 | 75 | 35 | 526 | - | 51 | 159 | 20.4 |
| 2 SPA 630 | 636 | 630 | 4 | 3020 | 75 | 35 | 595 | 8 | 51 | 159 | 22.0 |
| 2 SPA 710 | 716 | 710 | 4 | 3020 | 75 | 35 | 675 | 8 | 51 | 159 | 27.0 |
| 2 SPA 800 | 806 | 800 | 4 | 3525 | 100 | 35 | 764 | 15 | 65 | 191 | 31.6 |

Все размеры даны в миллиметрах; Вес указан в килограммах; Указанный вес не включает веса втулки


3-х ручейковые шкивы со втулкой для ремней с профилем SPA



| Артикул | OD | PD | Тип Шкива | Номер Втулки | Максимальное отверстие | F | G | K | L | H | Вес Шкива без втулки |
|------------|------|------|-----------|--------------|------------------------|----|-----|-----|----|-----|----------------------|
| 3 SPA 71 | 77 | 71 | 6 | 1108 | 28 | 50 | 40 | 28 | 22 | - | 0.7 |
| 3 SPA 75 | 81 | 75 | 6 | 1108 | 28 | 50 | 45 | 28 | 22 | - | 0.8 |
| 3 SPA 80 | 86 | 80 | 6 | 1210 | 32 | 50 | 50 | 25 | 25 | - | 0.9 |
| 3 SPA 85 | 91 | 85 | 6 | 1210 | 32 | 50 | 55 | 25 | 25 | - | 1.0 |
| 3 SPA 90 | 96 | 90 | 6 | 1610 | 42 | 50 | 56 | 25 | 25 | - | 1.0 |
| 3 SPA 95 | 101 | 95 | 6 | 1610 | 42 | 50 | 61 | 25 | 25 | - | 1.2 |
| 3 SPA 100 | 106 | 100 | 6 | 1610 | 42 | 50 | 66 | 25 | 25 | - | 1.3 |
| 3 SPA 106 | 112 | 106 | 6 | 1610 | 42 | 50 | 72 | 25 | 25 | - | 1.6 |
| 3 SPA 112 | 118 | 112 | 6 | 2012 | 50 | 50 | 78 | 18 | 32 | - | 1.6 |
| 3 SPA 118 | 124 | 118 | 6 | 2012 | 50 | 50 | 84 | 18 | 32 | - | 1.9 |
| 3 SPA 125 | 131 | 125 | 2 | 2012 | 50 | 50 | 91 | - | 32 | - | 2.3 |
| 3 SPA 132 | 138 | 132 | 2 | 2012 | 50 | 50 | 98 | - | 32 | - | 2.6 |
| 3 SPA 140 | 146 | 140 | 2 | 2517 | 60 | 50 | 106 | - | 45 | - | 2.9 |
| 3 SPA 150 | 156 | 150 | 2 | 2517 | 60 | 50 | 116 | - | 45 | - | 3.7 |
| 3 SPA 160 | 166 | 160 | 2 | 2517 | 60 | 50 | 126 | - | 45 | - | 4.5 |
| 3 SPA 170 | 176 | 170 | 2 | 2517 | 60 | 50 | 136 | - | 45 | - | 5.0 |
| 3 SPA 180 | 186 | 180 | 2 | 2517 | 60 | 50 | 146 | - | 45 | - | 6.2 |
| 3 SPA 190 | 196 | 190 | 2 | 2517 | 60 | 50 | 156 | - | 45 | - | 7.0 |
| 3 SPA 200 | 206 | 200 | 7 | 2517 | 60 | 50 | 166 | - | 45 | 125 | 5.6 |
| 3 SPA 212 | 218 | 212 | 7 | 2517 | 60 | 50 | 176 | - | 45 | 125 | 6.6 |
| 3 SPA 224 | 230 | 224 | 7 | 2517 | 60 | 50 | 190 | 3 | 45 | 125 | 7.5 |
| 3 SPA 236 | 242 | 236 | 7 | 2517 | 60 | 50 | 202 | 3 | 45 | 125 | 8.0 |
| 3 SPA 250 | 256 | 250 | 7 | 2517 | 60 | 50 | 216 | 3 | 45 | 125 | 8.6 |
| 3 SPA 265 | 271 | 265 | 7 | 2517 | 60 | 50 | 229 | 3 | 45 | 125 | 9.3 |
| 3 SPA 280 | 286 | 280 | 7 | 2517 | 60 | 50 | 246 | 3 | 45 | 125 | 10.0 |
| 3 SPA 300 | 306 | 300 | 8 | 3020 | 75 | 50 | 264 | 0.5 | 51 | 146 | 11.4 |
| 3 SPA 315 | 321 | 315 | 8 | 3020 | 75 | 50 | 281 | - | 51 | 146 | 12.8 |
| 3 SPA 335 | 341 | 335 | 8 | 3020 | 75 | 50 | 301 | 0.5 | 51 | 146 | 13.1 |
| 3 SPA 355 | 361 | 355 | 4 | 3020 | 75 | 50 | 320 | 0.5 | 51 | 159 | 13.4 |
| 3 SPA 375 | 381 | 375 | 4 | 3020 | 75 | 50 | 340 | 0.5 | 51 | 159 | 14.7 |
| 3 SPA 400 | 406 | 400 | 4 | 3020 | 75 | 50 | 365 | 0.5 | 51 | 159 | 15.9 |
| 3 SPA 425 | 431 | 425 | 4 | 3020 | 75 | 50 | 390 | 0.5 | 51 | 159 | 17.6 |
| 3 SPA 450 | 456 | 450 | 4 | 3020 | 75 | 50 | 415 | 0.5 | 51 | 159 | 19.3 |
| 3 SPA 475 | 481 | 475 | 4 | 3020 | 75 | 50 | 440 | 0.5 | 51 | 159 | 20.9 |
| 3 SPA 500 | 506 | 500 | 4 | 3020 | 75 | 50 | 465 | 0.5 | 51 | 159 | 22.6 |
| 3 SPA 530 | 536 | 530 | 4 | 3020 | 75 | 50 | 495 | 0.5 | 51 | 159 | 23.1 |
| 3 SPA 560 | 566 | 560 | 4 | 3020 | 75 | 50 | 525 | 0.5 | 51 | 159 | 23.5 |
| 3 SPA 630 | 636 | 630 | 4 | 3020 | 75 | 50 | 595 | 0.5 | 51 | 159 | 27.5 |
| 3 SPA 710 | 716 | 710 | 4 | 3525 | 100 | 50 | 675 | 7.5 | 65 | 191 | 37.2 |
| 3 SPA 800 | 806 | 800 | 4 | 3525 | 100 | 50 | 765 | 7.5 | 65 | 191 | 40.8 |
| 3 SPA 900 | 906 | 900 | 4 | 3525 | 100 | 50 | 865 | 7.5 | 65 | 191 | 43.6 |
| 3 SPA 1000 | 1006 | 1000 | 4 | 3525 | 100 | 50 | 964 | 7.5 | 65 | 191 | 50.0 |

Все размеры даны в миллиметрах; Вес указан в килограммах; Указанный вес не включает веса втулки


4-х ручейковые шкивы со втулкой для ремней с профилем SPA



| Артикул | OD | PD | Тип Шкива | Номер Втулки | Максимальное отверстие | F | G | K | L | H | Вес Шкива без втулки |
|------------|------|------|-----------|--------------|------------------------|----|-----|----|-----|-----|----------------------|
| 4 SPA 90 | 96 | 90 | 6 | 1610 | 42 | 65 | 62 | 40 | 25 | - | 1.2 |
| 4 SPA 95 | 101 | 95 | 6 | 1610 | 42 | 65 | 66 | 40 | 25 | - | 1.4 |
| 4 SPA 100 | 106 | 100 | 6 | 1610 | 42 | 65 | 66 | 40 | 25 | - | 1.6 |
| 4 SPA 106 | 112 | 106 | 6 | 2012 | 50 | 65 | 72 | 33 | 32 | - | 1.7 |
| 4 SPA 112 | 118 | 112 | 6 | 2012 | 50 | 65 | 73 | 33 | 32 | - | 2.0 |
| 4 SPA 118 | 124 | 118 | 6 | 2012 | 50 | 65 | 84 | 33 | 32 | - | 2.3 |
| 4 SPA 125 | 131 | 125 | 2 | 2012 | 50 | 65 | 91 | - | 32 | - | 2.7 |
| 4 SPA 132 | 138 | 132 | 2 | 2517 | 60 | 65 | 98 | - | 45 | - | 2.9 |
| 4 SPA 140 | 146 | 140 | 2 | 2517 | 60 | 65 | 106 | - | 45 | - | 3.5 |
| 4 SPA 150 | 156 | 150 | 2 | 2517 | 60 | 65 | 116 | - | 45 | - | 4.2 |
| 4 SPA 160 | 166 | 160 | 7 | 2517 | 60 | 65 | 118 | 10 | 45 | - | 5.1 |
| 4 SPA 170 | 176 | 170 | 2 | 2517 | 60 | 65 | 136 | - | 45 | - | 6.0 |
| 4 SPA 180 | 186 | 180 | 2 | 2517 | 60 | 65 | 146 | - | 45 | - | 6.9 |
| 4 SPA 190 | 196 | 190 | 2 | 3020 | 75 | 65 | 156 | - | 51 | - | 7.2 |
| 4 SPA 200 | 206 | 200 | 7 | 3020 | 75 | 65 | 158 | 7 | 51 | - | 8.4 |
| 4 SPA 212 | 218 | 212 | 2 | 3020 | 75 | 65 | 176 | - | 51 | - | 9.9 |
| 4 SPA 224 | 230 | 224 | 2 | 3020 | 75 | 65 | 190 | - | 51 | 159 | 11.4 |
| 4 SPA 236 | 242 | 236 | 7 | 3020 | 75 | 65 | 202 | 7 | 51 | 159 | 10.0 |
| 4 SPA 250 | 256 | 250 | 7 | 3020 | 75 | 65 | 216 | 7 | 51 | 159 | 10.5 |
| 4 SPA 265 | 271 | 265 | 7 | 3020 | 75 | 65 | 230 | 7 | 51 | 159 | 11.1 |
| 4 SPA 280 | 286 | 280 | 7 | 3020 | 75 | 65 | 246 | 7 | 51 | 159 | 11.6 |
| 4 SPA 300 | 306 | 300 | 7 | 3020 | 75 | 65 | 262 | 7 | 51 | 159 | 12.7 |
| 4 SPA 315 | 321 | 315 | 7 | 3020 | 75 | 65 | 281 | 7 | 51 | 159 | 13.8 |
| 4 SPA 335 | 341 | 335 | 7 | 3020 | 75 | 65 | 301 | 7 | 51 | 159 | 14.8 |
| 4 SPA 355 | 361 | 355 | 5 | 3020 | 75 | 65 | 320 | 7 | 51 | 159 | 15.8 |
| 4 SPA 375 | 381 | 375 | 5 | 3020 | 75 | 65 | 340 | 7 | 51 | 159 | 16.8 |
| 4 SPA 400 | 406 | 400 | 5 | 3020 | 75 | 65 | 365 | 7 | 51 | 159 | 17.7 |
| 4 SPA 425 | 431 | 425 | 5 | 3020 | 75 | 65 | 390 | 7 | 51 | 159 | 20.5 |
| 4 SPA 450 | 456 | 450 | 5 | 3020 | 75 | 65 | 415 | 7 | 51 | 159 | 23.2 |
| 4 SPA 475 | 481 | 475 | 5 | 3020 | 75 | 65 | 440 | 7 | 51 | 159 | 25.3 |
| 4 SPA 500 | 506 | 500 | 5 | 3020 | 75 | 65 | 465 | 7 | 51 | 159 | 27.4 |
| 4 SPA 530 | 536 | 530 | 5 | 3020 | 75 | 65 | 495 | 7 | 51 | 159 | 29.0 |
| 4 SPA 560 | 566 | 560 | 5 | 3525 | 100 | 65 | 525 | - | 65 | 191 | 30.5 |
| 4 SPA 630 | 636 | 630 | 5 | 3525 | 100 | 65 | 595 | - | 65 | 191 | 34.1 |
| 4 SPA 710 | 716 | 710 | 5 | 3525 | 100 | 65 | 675 | - | 65 | 191 | 47.0 |
| 4 SPA 800 | 806 | 800 | 5 | 3525 | 100 | 65 | 765 | - | 65 | 191 | 50.8 |
| 4 SPA 900 | 906 | 900 | 4 | 3525 | 100 | 65 | 865 | - | 65 | 191 | 55.6 |
| 4 SPA 1000 | 1006 | 1000 | 4 | 4040 | 100 | 65 | 964 | 19 | 102 | 215 | 62.0 |

Все размеры даны в миллиметрах; Вес указан в килограммах; Указанный вес не включает веса втулки


5-ти ручейковые шкивы со втулкой для ремней с профилем SPA



| Артикул | OD | PD | Тип Шкива | Номер Втулки | Максимальное отверстие | F | G | K | L | H | Вес Шкива без втулки |
|------------|------|------|-----------|--------------|------------------------|----|-----|----|-----|-----|----------------------|
| 5 SPA 100 | 106 | 100 | 3 | 1610 | 42 | 80 | 69 | 28 | 25 | - | 1.9 |
| 5 SPA 106 | 112 | 106 | 6 | 2012 | 50 | 80 | 71 | 48 | 32 | - | 2.1 |
| 5 SPA 112 | 118 | 112 | 6 | 2012 | 50 | 80 | 77 | 48 | 32 | - | 2.4 |
| 5 SPA 118 | 124 | 118 | 2 | 2012 | 50 | 80 | 84 | - | 32 | - | 2.7 |
| 5 SPA 125 | 131 | 125 | 2 | 2012 | 50 | 80 | 90 | - | 32 | - | 3.1 |
| 5 SPA 132 | 138 | 132 | 3 | 2517 | 60 | 80 | 102 | 18 | 45 | - | 3.2 |
| 5 SPA 140 | 146 | 140 | 3 | 2517 | 60 | 80 | 108 | 18 | 45 | - | 3.9 |
| 5 SPA 150 | 156 | 150 | 3 | 2517 | 60 | 80 | 118 | 18 | 45 | - | 4.7 |
| 5 SPA 160 | 166 | 160 | 3 | 2517 | 60 | 80 | 128 | 18 | 45 | - | 5.6 |
| 5 SPA 170 | 176 | 170 | 3 | 3020 | 75 | 80 | 138 | 15 | 51 | - | 6.2 |
| 5 SPA 180 | 186 | 180 | 3 | 3020 | 75 | 80 | 148 | 15 | 51 | - | 6.8 |
| 5 SPA 190 | 196 | 190 | 3 | 3020 | 75 | 80 | 158 | 15 | 51 | - | 7.4 |
| 5 SPA 200 | 206 | 200 | 3 | 3020 | 75 | 80 | 168 | 15 | 51 | - | 9.1 |
| 5 SPA 212 | 218 | 212 | 2 | 3020 | 75 | 80 | 176 | - | 51 | - | 10.7 |
| 5 SPA 224 | 230 | 224 | 3 | 3020 | 75 | 80 | 189 | 15 | 51 | - | 12.3 |
| 5 SPA 236 | 242 | 236 | 2 | 3020 | 75 | 80 | 200 | - | 51 | - | 14.2 |
| 5 SPA 250 | 256 | 250 | 7 | 3020 | 75 | 80 | 215 | 15 | 51 | 159 | 11.7 |
| 5 SPA 265 | 271 | 265 | 7 | 3020 | 75 | 80 | 230 | 15 | 51 | 159 | 14.5 |
| 5 SPA 280 | 286 | 280 | 7 | 3525 | 100 | 80 | 245 | 8 | 65 | 191 | 17.4 |
| 5 SPA 300 | 306 | 300 | 7 | 3525 | 100 | 80 | 261 | 8 | 65 | 191 | 18.7 |
| 5 SPA 315 | 321 | 315 | 7 | 3525 | 100 | 80 | 280 | 8 | 65 | 191 | 20.0 |
| 5 SPA 335 | 341 | 335 | 7 | 3525 | 100 | 80 | 298 | 8 | 65 | 191 | 21.4 |
| 5 SPA 355 | 361 | 355 | 5 | 3525 | 100 | 80 | 320 | 8 | 65 | 191 | 22.8 |
| 5 SPA 375 | 381 | 375 | 5 | 3525 | 100 | 80 | 338 | 8 | 65 | 191 | 23.8 |
| 5 SPA 400 | 406 | 400 | 5 | 3525 | 100 | 80 | 365 | 8 | 65 | 191 | 24.8 |
| 5 SPA 425 | 431 | 425 | 5 | 3525 | 100 | 80 | 388 | 8 | 65 | 191 | 26.7 |
| 5 SPA 450 | 456 | 450 | 5 | 3525 | 100 | 80 | 415 | 8 | 65 | 191 | 28.5 |
| 5 SPA 475 | 481 | 475 | 5 | 3525 | 100 | 80 | 439 | 8 | 65 | 191 | 30.1 |
| 5 SPA 500 | 506 | 500 | 5 | 3525 | 100 | 80 | 465 | 8 | 65 | 191 | 31.7 |
| 5 SPA 530 | 536 | 530 | 5 | 3525 | 100 | 80 | 494 | 8 | 65 | 191 | 33.3 |
| 5 SPA 560 | 566 | 560 | 5 | 3525 | 100 | 80 | 525 | 8 | 65 | 191 | 35.0 |
| 5 SPA 630 | 636 | 630 | 5 | 3525 | 100 | 80 | 595 | 8 | 65 | 191 | 42.0 |
| 5 SPA 710 | 716 | 710 | 5 | 4030 | 115 | 80 | 675 | 2 | 76 | 216 | 56.3 |
| 5 SPA 800 | 806 | 800 | 5 | 4030 | 115 | 80 | 765 | 2 | 76 | 216 | 60.0 |
| 5 SPA 900 | 906 | 900 | 5 | 4030 | 115 | 80 | 865 | 2 | 76 | 210 | 63.7 |
| 5 SPA 1000 | 1006 | 1000 | 4 | 4545 | 110 | 80 | 964 | 18 | 115 | 240 | 70.0 |

Все размеры даны в миллиметрах; Вес указан в килограммах; Указанный вес не включает веса втулки

6-ти ручейковые шкивы со втулкой для ремней с профилем SPA



| Артикул | OD | PD | Тип Шкива | Номер Втулки | Максимальное отверстие | F | G | K | L | H | Вес Шкива без втулки |
|------------|------|------|-----------|--------------|------------------------|----|-----|----|-----|-----|----------------------|
| 6 SPA 100 | 106 | 100 | 3 | 1610 | 42 | 95 | 69 | 35 | 25 | - | 2.2 |
| 6 SPA 106 | 112 | 106 | 6 | 2012 | 50 | 95 | 71 | 63 | 32 | - | 2.5 |
| 6 SPA 112 | 118 | 112 | 6 | 2012 | 50 | 95 | 77 | 63 | 32 | - | 2.8 |
| 6 SPA 118 | 124 | 118 | 6 | 2012 | 50 | 95 | 84 | 63 | 32 | - | 3.1 |
| 6 SPA 125 | 131 | 125 | 3 | 2012 | 50 | 95 | 90 | 32 | 32 | - | 3.7 |
| 6 SPA 132 | 138 | 132 | 3 | 2517 | 60 | 95 | 102 | 25 | 45 | - | 3.6 |
| 6 SPA 140 | 146 | 140 | 3 | 2517 | 60 | 95 | 105 | 25 | 45 | - | 4.5 |
| 6 SPA 150 | 156 | 150 | 3 | 2517 | 60 | 95 | 115 | 25 | 45 | - | 5.3 |
| 6 SPA 160 | 166 | 160 | 3 | 2517 | 60 | 95 | 125 | 25 | 45 | - | 6.3 |
| 6 SPA 170 | 176 | 170 | 3 | 3020 | 75 | 95 | 135 | 22 | 51 | - | 6.9 |
| 6 SPA 180 | 186 | 180 | 3 | 3020 | 75 | 95 | 145 | 22 | 51 | - | 7.5 |
| 6 SPA 190 | 196 | 190 | 3 | 3020 | 75 | 95 | 155 | 22 | 51 | - | 8.6 |
| 6 SPA 200 | 206 | 200 | 3 | 3020 | 75 | 95 | 165 | 22 | 51 | - | 9.9 |
| 6 SPA 212 | 218 | 212 | 3 | 3020 | 75 | 95 | 176 | 22 | 51 | - | 11.6 |
| 6 SPA 224 | 230 | 224 | 3 | 3020 | 75 | 95 | 189 | 22 | 51 | - | 13.2 |
| 6 SPA 236 | 242 | 236 | 7 | 3020 | 75 | 95 | 201 | 22 | 51 | 159 | 12.3 |
| 6 SPA 250 | 256 | 250 | 7 | 3020 | 75 | 95 | 215 | 22 | 51 | 159 | 12.5 |
| 6 SPA 265 | 271 | 265 | 7 | 3020 | 75 | 95 | 229 | 22 | 51 | 159 | 15.8 |
| 6 SPA 280 | 286 | 280 | 7 | 3525 | 100 | 95 | 245 | 15 | 65 | 191 | 19.0 |
| 6 SPA 300 | 306 | 300 | 7 | 3525 | 100 | 95 | 264 | 15 | 65 | 191 | 20.1 |
| 6 SPA 315 | 321 | 315 | 7 | 3525 | 100 | 95 | 280 | 15 | 65 | 191 | 21.1 |
| 6 SPA 335 | 341 | 335 | 7 | 3525 | 100 | 95 | 299 | 15 | 65 | 191 | 22.3 |
| 6 SPA 355 | 361 | 355 | 5 | 3525 | 100 | 95 | 320 | 15 | 65 | 191 | 23.5 |
| 6 SPA 375 | 381 | 375 | 5 | 3525 | 100 | 95 | 339 | 15 | 65 | 191 | 24.8 |
| 6 SPA 400 | 406 | 400 | 5 | 3525 | 100 | 95 | 365 | 15 | 65 | 191 | 26.0 |
| 6 SPA 425 | 431 | 425 | 5 | 3525 | 100 | 95 | 389 | 15 | 65 | 191 | 28.0 |
| 6 SPA 450 | 456 | 450 | 5 | 3525 | 100 | 95 | 415 | 15 | 65 | 191 | 30.0 |
| 6 SPA 475 | 481 | 475 | 5 | 3525 | 100 | 95 | 439 | 15 | 65 | 191 | 32.0 |
| 6 SPA 500 | 506 | 500 | 5 | 3525 | 100 | 95 | 465 | 15 | 65 | 191 | 34.0 |
| 6 SPA 530 | 536 | 530 | 5 | 3525 | 100 | 95 | 494 | 15 | 65 | 191 | 36.5 |
| 6 SPA 560 | 566 | 560 | 5 | 3525 | 100 | 95 | 524 | 15 | 65 | 191 | 39.0 |
| 6 SPA 630 | 636 | 630 | 5 | 4030 | 115 | 95 | 595 | 10 | 76 | 216 | 53.5 |
| 6 SPA 710 | 716 | 710 | 5 | 4030 | 115 | 95 | 675 | 10 | 76 | 216 | 65.0 |
| 6 SPA 800 | 806 | 800 | 5 | 4030 | 115 | 95 | 765 | 10 | 76 | 216 | 70.0 |
| 6 SPA 900 | 906 | 900 | 5 | 4030 | 115 | 95 | 865 | 10 | 76 | 210 | 75.5 |
| 6 SPA 1000 | 1006 | 1000 | 4 | 4545 | 110 | 95 | 964 | 10 | 115 | 240 | 85.5 |

Все размеры даны в миллиметрах; Вес указан в килограммах; Указанный вес не включает веса втулки